


# Evaluating Hydrocarbon Removal from Source Zones and its Effect on Dissolved Plume Longevity and Magnitude

Regulatory Analysis and Scientific Affairs Department

PUBLICATION NUMBER 4715  
SEPTEMBER 2002

## *Conceptual Model*



# **Evaluating Hydrocarbon Removal from Source Zones and its Effect on Dissolved Plume Longevity and Magnitude**

**Regulatory Analysis and Scientific Affairs Department**

API PUBLICATION NUMBER 4715

PREPARED UNDER CONTRACT BY:

DAVID HUNTLEY, PH.D.  
DEPARTMENT OF GEOLOGICAL SCIENCES  
SAN DIEGO STATE UNIVERSITY

G.D. BECKETT, C.HG.  
SAN DIEGO STATE UNIVERSITY AND  
AQUI-VER, INC.  
LA JOLLA, CA 92037

SEPTEMBER 2002



## **ACKNOWLEDGMENTS**

### API STAFF CONTACT

Harley Hopkins, Regulatory Analysis and Scientific Affairs Department

### MEMBERS OF THE API SOIL AND GROUNDWATER TECHNICAL TASK FORCE

#### MEMBERS OF THE GW-63 PROJECT TEAM:

Ade Adenekan, ExxonMobil Corporation  
Ed Brost, Shell Global Solutions  
Tim Buscheck, ChevronTexaco Energy Research and Technology Co.  
Chen Chiang, Shell Global Solutions  
George DeVaul, Shell Global Solutions  
Dan Irvin, Conoco, Inc.  
Steve Jester, Conoco, Inc.  
Kris Jimenez, ExxonMobil Corporation  
Urmaz Kelmser, ChevronTexaco Energy Research and Technology Co.  
Ravi Kolhatkar, BP p.l.c  
Vic Kremesec, BP p.l.c  
Al Ligouri, ExxonMobil Corporation  
Tom Maldonato, ExxonMobil Corporation  
Ed Payne, (formerly) ExxonMobil Corporation  
Tom Peargin, ChevronTexaco Energy Research and Technology Co.  
Aldo Silva, Canadian Petroleum Products Institute  
Curt Stanley, Equilon Enterprises LLC  
Terry Walden, BP p.l.c  
Andrea Walter, Petro Canada  
Lesley Hay Wilson, Sage Risk Solutions

## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
EXECUTIVE SUMMARY .....	ES-1
The Effect of Soil Type .....	ES-3
The Effect of LNAPL Thickness .....	ES-4
The Effect of LNAPL Residual Saturation .....	ES-4
Contrast in Components of Concern .....	ES-5
Component Volatilization .....	ES-5
Remediations as a Function of Soil Type .....	ES-6
Effect of Groundwater Flow Rate .....	ES-6
KEY POINTS .....	ES-7
1.0 ABSTRACT .....	1-1
2.0 INTRODUCTION .....	2-1
2.1 LNAPL Spill Context and Method Overview .....	2-2
3.0 HYDROGEOLOGY OF LNAPL FLOW IN THE SUBSURFACE .....	3-1
3.1 Distribution of LNAPL, Water, and Air .....	3-1
3.1.1 Capillary Theory .....	3-2
3.1.2 Distribution of Fluids Under Vertical Equilibrium .....	3-5
3.1.2.1 Homogeneous Soils .....	3-5
3.1.2.2 Heterogeneous Soils .....	3-9
3.1.3 Hysteresis and LNAPL Entrapment .....	3-11
3.1.4 Implications of LNAPL, Water and Air Distribution .....	3-14
3.2 LNAPL and Water Mobility .....	3-16
3.2.1 Relative Permeability and Effective Conductivity .....	3-16
3.2.2 Lateral Mobility of LNAPL .....	3-19
3.2.3 Time to Reach Vertical Equilibrium (VEQ) .....	3-21
3.2.4 Effect of Heterogeneity .....	3-22
3.2.5 Mobility of the Air and Water Phases .....	3-23
3.3 Chemical Transportation of the LNAPL Source .....	3-25
3.3.1 Dissolved (Water) – Phase Mass Flux .....	3-26
3.3.1.1 Groundwater Mobility .....	3-27
3.3.1.2 Concentrations .....	3-28
3.3.1.3 Mass Flux (Dissolution) .....	3-31
3.3.1.4 Downgradient Processes .....	3-32
3.3.1.5 Dissolved-Phase Partitioning Implications .....	3-33
3.4 Vapor Phase Transport .....	3-35
3.4.1 Implications .....	3-38

4.0 SOURCE CLEANUP .....	4-1
4.1 Hydraulic Recovery .....	4-3
4.1.1 Summary of Hydraulic Recovery Experiences .....	4-5
4.1.1.1 Case Study: Fuel LNAPL Recovery in Outwash Sands .....	4-6
4.1.1.2 Case Study: Diesel Range Fuel in Dune Sand .....	4-7
4.1.1.3 Case 3 .....	4-8
4.1.1.4 Summary of Case Studies .....	4-8
4.1.2 Hydraulic Recovery Approximation .....	4-8
4.2 Chemical Partitioning Remediation .....	4-11
4.2.1 Multicomponent Partitioning .....	4-11
4.2.2 Remediation Delivery Efficiency .....	4-12
4.2.2.1 Remediation Pathway Efficiency .....	4-13
4.2.2.2 Chemical Efficiency .....	4-16
4.2.3 Enhanced Biodegradation .....	4-16
4.2.4 Removal of LNAPL Constituents - Summary .....	4-17
4.2.5 Reducing Source Zone Uncertainty .....	4-17
5.0 LNAST USERS GUIDE .....	5-1
5.1 Software Utility Overview .....	5-1
5.2 LNAST Menu Options .....	5-3
5.3 Data Input .....	5-5
5.3.1 Soil Properties .....	5-6
5.3.1.1 Soil Type .....	5-7
5.3.1.2 Saturated Hydraulic Conductivity .....	5-8
5.3.1.3 Total Porosity, Effective Porosity, Residual Water Saturation .....	5-9
5.3.1.4 van Genuchten Capillary Parameters .....	5-10
5.3.1.5 LNAPL Field Residual Saturation .....	5-11
5.3.2 Groundwater Flow Conditions .....	5-12
5.3.3 Source Area Parameters .....	5-13
5.3.3.1 Equilibrium LNAPL Conditions .....	5-15
5.3.3.2 Distribution After Fixed Period of Remediation .....	5-15
5.3.3.3 Distribution at Minimal Mobility .....	5-18
5.3.3.4 Field Residual Saturation .....	5-19
5.3.3.5 User Input LNAPL Distribution .....	5-19
5.3.4 LNAPL Properties .....	5-21
5.3.4.1 LNAPL Physical Properties .....	5-22
5.3.4.2 Chemical Properties of LNAPL .....	5-22
5.3.4.2.1 Chemicals of Concern .....	5-23
5.3.4.2.2 Mole Fractions .....	5-24
5.3.4.2.3 Organic Carbon Partitioning Coefficient .....	5-24
5.3.4.2.4 Biodegradation Half-Life .....	5-24
5.3.4.2.5 Target Concentration .....	5-25
5.3.5 Solute Transport Properties .....	5-26
5.3.5.1 Effective Porosity .....	5-26
5.3.5.2 Dispersivity .....	5-26